DIGSI 5 Editions Overview



DIGSI 5 Editions

Main differences at a glance (as of V08.70)

Compact

Available free of charge

Complete configuration and operation of small projects with up to 8 7SX800 or 7S*82 devices including the acquisition of process data from the device.

Graphical editor for continuous functions charts (CFC).

Display editor for 7SX800 and 7S*82 devices

Comprehensive test and commissioning functions.

Integrated COMTRADE viewer for the basic analysis of fault records.

Projects are limited to 8 SIPROTEC 5
Compact / SIPROTEC 5 non-modular
devices or 1 SIPROTEC 5 modular device.

Standard

All features of DIGSI 5 Compact, but with support of an unlimited number of SIPROTEC 5 devices per project.

Includes the Siemens IEC 61850 System Configurator for full support of IEC 61850 Edition 2.

Additional graphical editors for single line diagrams, device display pages and network topology.

SIGRA 4 for professional fault-record analysis is available as an option.

Premium

Same as DIGSI 5 Standard, but with enhanced functionality for IEC 61850, such as flexible engineering, data model customization and functional naming.

Includes SIGRA 4 for professional fault-record analysis.

Complete commissioning & operation for small projects

Engineering and operation of largescale projects including IEC 61850 Flexible IEC 61850 engineering and professional fault-record analysis



DIGSI 5 Editions

Detailed feature comparison (as of V08.70)

	Compact	Standard	Premium
Maximum number of devices per project	8/1 ¹⁾	unlimited	unlimited
Full device configuration incl. functions charts (CFC)	✓	✓	✓
Acquisition of process data from the device	✓	✓	✓
Single line and device display editors	√ 2)	✓	✓
Graphical visualization of protection parameters	-	✓	✓
Network view and inter-device communication	-	✓	✓
Basic IEC 61850 support	-	✓	✓
Advanced IEC 61850 support	-	-	✓
Fault record analysis	COMTRADE viewer 3)	COMTRADE viewer 3)	SIGRA
Comprehensive testing functionality	✓	✓	✓
Function chart (CFC) analysis / debugging	✓	✓	✓

¹⁾ Up to 8 SIPROTEC 5 Compact (7SX800) or non-modular SIPROTEC 5 devices (7S*82)



²⁾ Display editor for SIPROTEC 5 Compact and SIPROTEC 5 non-modular

³⁾ SIGRA available as optional package